

Infopest verifies that this label is consistent with the NRA  
Approved Text Label of 16/11/98\_

**POISON**

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**Rentokil**

**ALPHACHLORALOSE BIRD CONTROL AGENT**

ACTIVE CONSTITUENT: 990g/kg ALPHACHLORALOSE  
FOR THE CONTROL OF BIRDS AS PER THE DIRECTIONS FOR USE  
ONLY TO BE SUPPLIED TO AND USED BY PERSONS APPROVED BY THE  
APPROPRIATE STATE AND TERRITORY GOVERNMENT DEPARTMENTS FOR  
THE CONTROL OF NOMINATED VERTEBRATE PESTS.

**DIRECTIONS FOR USE** (Tas only): Instructions for use accompany the product and form part of the label.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Dispose of empty containers and unused bait at a local authority landfill. If no landfill is available, bury the containers or unused bait below 500mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS:** Very dangerous. Poisonous if swallowed. When preparing product for use wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**FIRST AID:** If poisoning occurs get to a doctor or hospital quickly. Avoid giving alcohol.

**50g NET**

Rentokil Initial Pty Ltd ACN 000 034 597

150 Mowbray Rd, Willoughby NSW 2068 Australia  
a Rentokil Initial company

NRA Approval No. 40755/1198

Batch No.

D.O.M.

**Rentokil**  
**ALPHACHLORALOSE BIRD CONTROL AGENT**

**DIRECTIONS FOR USE:**

These instructions form part of and should be used in conjunction with the registered label.

**PIGEONS**

Pre-feed with clean wheat, on a hard dry surface, 30-60 grams per bird, for 1-3 weeks or when all birds are feeding.

**PRE-FEEDING IS ESSENTIAL TO THE SUCCESS OF THE PROGRAMME.**

When mixing bait use vegetable oil as an "adhesive agent" at the rate of 8-10 mL per kg.

**ALPHACHLORALOSE IS USED AT 20g PER KILO OF WHEAT (2%).**

**SPARROWS**

Use mixed canary seed in preference to wheat to cater for individual feeding preferences.

**MIX ALPHACHLORALOSE WITH CANARY SEED AT 10g PER KILO SEED (1%).**

Add vegetable oil at 8-10mL per kilogram.

Mix the poisoned seed 50-50 with untreated grain and place in feeding area. The addition of the untreated grain prevents sparrows from ingesting too much toxin too quickly.

**MIXING PROCEDURE**

- a. Place the required amount of clean bait material in a strong plastic bag.
  - b. Measure out vegetable oil and pour over bait.
  - c. Inflate the bag and agitate it until the bait is evenly coated with oil.
  - d. Weigh out the correct amount of Alphachloralose and add to the oil covered bait. Inflate and agitate bag until bait is coated evenly.
- THE BAIT IS NOW READY FOR USE.**

**BAITING**

- a. Should be commenced at first light (early morning). Baited grain should be exposed for ½ - 1 day only then withdrawn and free feed substituted. Repeat if necessary.
- b. Affected birds to be collected, humanely killed and disposed of by **BURIAL- IMMEDIATELY.**
- c. Any non-target species affected may be picked up and revived by keeping in a darkened enclosure at normal temperature.

### **PRECAUTIONS**

When baiting is finished, all remaining bait to be swept up for disposal (in the correct manner) or re-used.

Moisture can inhibit the effectiveness of Alphachloralose bait and baiting must be dry. Alphachloralose is a stupefying agent and should be handled accordingly. Observe all relevant safety precautions, as detailed on the label.

During periods when birds are feeding on bait keep extraneous noise to a minimum as birds become very sensitive.

Baiting with Alphachloralose is more effective when ambient temperature is either high or low.

### **DISPOSAL**

Dispose of all bait residues, unused bait and empty containers in an approved local authority or private sanitary land-fill type tip as directed by the local authority.

**SAFETY DIRECTIONS:** Very dangerous. Poisonous if swallowed. When preparing product for use wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**FIRST AID:** If poisoning occurs get to a doctor or hospital quickly. Avoid giving alcohol.

**WARNING:** For use by licensed pest control operators or persons authorised by the Registrar of Pesticides.